

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6151632").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:06
S2	11340	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:02
S3	2152	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:09
S4	31	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:36
S5	18	S4 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:15
S6	124	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:14
S7	79	S6 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:37

S8	0	S7 and (index\$3) near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:16
S9	0	S7 and (analyz\$3) near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:16
S10	0	S7 and (analyz\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:37
S11	0	S7 and (analyz\$3 with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:16
S12	10	S7 and (analyz\$3 with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:23
S13	1	S7 and (index\$3 with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:24
S14	18	S7 and ((storage or repositor\$3 or database\$) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:28
S15	9	S7 and (crawl\$3 or robot or spider\$3 or scan\$4 or brows\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:47

S16	6267	(subroutine\$ or (application near program\$4) or (software near code) and (search\$3 or retriev\$3 or quer\$3 or locat\$3 or find\$3)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:36
S17	42	(subroutine\$ or (application near program\$4) or (software near code) and (search\$3 or retriev\$3 or quer\$3 or locat\$3 or find\$3)) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:33
S18	18	S17 and (storag\$3 or repositor\$3 or database\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:34
S19	2346	(subroutine\$ or (application near program\$4) or (software near code) and (search\$3 or retriev\$3 or quer\$3 or locat\$3 or find\$3)).ti. and (storag\$3 or repositor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:44
S20	21	S19 and (analyz\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:46
S21	10	S20 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:36
S22	11461	(subroutine\$ or (application near program\$4) or (software near code) and (search\$3 or retriev\$3 or quer\$3 or locat\$3 or find\$3)).ab. and (storag\$3 or repositor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:45
S23	13	S22 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:45

S24	146	S22 and (analyz\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:46
S25	71	S24 and (crawl\$3 or robot or spider\$3 or scan\$4 or brows\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:47
S26	31	S25 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:47
S27	0	S25 and @ad<"19991229" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:05
S28	559	S2 and (crawl\$3 or robot or spider\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:04
S29	22	S2 and ((crawl\$3 or robot or spider\$3) near process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:59
S30	0	S29 and @ad<"19991229" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:59
S31	33	S28 and @ad<"19991229" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:59

S32	25	S28 and @ad<"19991229" and crawl\$3 and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:24
S33	20	S2 and ((crawl\$3 or robot or spider\$3) with analyz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:04
S34	4	S33 and @ad<"19991229" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:05
S35	4	S33 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:05
S36	816	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:41
S37	1	S36 and @ad<"19991229" and crawl\$3 and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:25
S38	79	S36 and @ad<"19991229" and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:33
S39	0	S38 and analyz\$3 and (stor43 with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:32

S40	25	S38 and analyz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:29
S41	11	S38 and analyz\$3 and languages	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:33
S42	923	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:32
S43	0	S42 and analyz\$3 and (stor43 with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:42
S44	164	S42 and @ad<"19991229" and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:43
S45	43	S44 and analyz\$3 and languages	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:33
S46	294	( search\$3 or quer\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:42
S47	470	( search\$3 or retriev\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:42

S48	0	"446" and analyz\$3 and (stor43 with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:42
S49	470	S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:42
S50	0	S47 and analyz\$3 and (stor43 with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:42
S51	69	S47 and analyz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:43
S52	11	S41 and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:43
S53	11	S52 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:03
S54	816	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:02
S55	243	(storage or repositor\$3 or database\$3) with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)) and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:02

S56	33	S55 and index\$3 and analyz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:03
S57	12	S56 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:24
S58	732	((locat\$3 or search\$3 or quer\$3 or retriev\$3) near ((source code) or (programming near language))).ti. and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:26
S59	5412	((locat\$3 or search\$3 or quer\$3 or retriev\$3) near ((source code) or (programming near language))). ab. and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:26
S60	306	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:26
S61	2	S60 and (analyz\$3 with identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:27
S62	1	S60 and (analyz\$3 with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:28
S63	0	S60 and (analyz\$3 with languages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:28

S64	0	S60 and (analyz\$3 same languages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:28
S65	0	S60 and (analyz\$3 and languages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:29
S66	21	S59 and (analyz\$3 and languages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:36
S67	1	S59 and (analyz\$3 with languages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:29
S68	2	S58 and (analyz\$3 and languages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:47
S69	2	("6725220").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:51
S70	0	"566526".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:59
S71	2	"983263".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 17:59

S72	513	(analyz\$3 near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 11:37
S73	2152	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:26
S74	62	S72 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:36
S75	28	S74 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:58
S76	15	S75 and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:37
S77	5716	((analyz\$3 or monitor\$3 or control\$4) near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:53
S78	262	S73 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:53
S79	82	S78 and index\$3 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:57

S80	2	S79 and ((crawl\$3 or robot or spider\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:59
S81	946	(identif\$3 near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:55
S82	9	S79 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:55
S83	524	S81 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:57
S84	19	S83 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:57
S85	8	S78 and ((crawl\$3 or robot or spider\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:58
S86	6	S85 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:59
S87	191	S78 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 11:39

S88	32	S78 and ((crawl\$3 or robot or spider\$3 or brows\$3 or scan\$4) with (analyz\$3 or monitor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 10:59
S89	27	S88 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 11:17
S90	3	("6915487").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 11:37
S91	1	"6253366".PN.	USPAT; USOCR	OR	OFF	2006/01/16 11:18
S92	1	"6117184".PN.	USPAT; USOCR	OR	OFF	2006/01/16 11:19
S93	1623	(read\$3 near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:14
S94	21	S93 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 11:38
S95	10	S94 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:13
S96	111	S93 and S73 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:02
S97	43	S96 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:03

S98	17	S96 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:03
S99	18	(process near read\$3 near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:14
S100	12	S99 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:15
S101	4	(analyz\$3 near read\$3 near ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:14
S102	161	(analyz\$3 with read\$3 with ("code asset" or subroutine or (produce near softwar\$3) or (application near programs) or (source near code) or (programming near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:15
S103	71	S102 and "programming language"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:15
S104	41	S102 and "programming languages"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:15
S105	16	S104 and @ad<"19991229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:16

S10 6	1	S104 and @ad<"19991229" and servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:29
S10 7	112	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) near (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:30
S10 8	0	S107 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:27
S10 9	8	(locat\$3 or retriev\$2 or find\$3 or search\$3 or quer\$3) near (programming near language)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:28
S11 0	112	S107 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:28
S11 1	31	S110 and @ad<"19991229" and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:33
S11 2	57	(retriev\$2 or find\$3 or search\$3 or quer\$3) near (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:33
S11 3	9	S112 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:30

S11 4	8	S112 and S111 and read\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:30
S11 5	467	(retriev\$2 or find\$3 or search\$3 ) with ( (programming near language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:33
S11 6	80	S115 and @ad<"19991229" and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:33
S11 7	1	S116 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/16 12:33